

Notice of Allowability

Application No.

10/070,271

Examiner

Huong Q. Pham

Applicant(s)

NICKSON, SHANE WILLARD

Art Unit

3764

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 8/6/04.
2. ☒ The allowed claim(s) is/are 13,15 and 17-25.
3. ☒ The drawings filed on 01 March 2002 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

The following is an examiner's statement of reasons for allowance:

The closest references for this case are Hall (5,219,324), Willner et al (5,897, 515) , and the publication WO 95/31950. Wilner et al teaches the structure as recited in claim 13 in combination with the use of flexible fiberglass reinforced plastic for strapping member 1 , the use of rigid carbon fibre reinforced plastic resin for the anterior longitudinal stiffener 3, and the use of rigid carbon fibre reinforced plastic resin for the inflexible reinforce cement element (strut) 4. Therefore , Wilner teaches away from a resiliently and flexibly strut 4 made of one of glass fibre and aramid fibre reinforced resin as recited in claim 13. Hall teaches the structure as recited in claim 13 with anterior longitudinal stiffener 10 and the flexibility of strut 30. Hall does not teach the use of rigid carbon fibre reinforced plastic resin for anterior longitudinal stiffener 10 , and does not teach the use of one of glass fibre and aramid fibre reinforced resin for the strut 4 as recited in claim 13 to provide flexibility for the strut 30. The publication WO 95/31950 does not teach the detail structure of an ankle and foot orthosis as recited in claim 13. The publication WO 95/31950 teaches the use of rigid carbon fibre reinforcement plastic resin for strut 2A , and the use of flexible glass fibre reinforced plastic resin for anterior longitudinal stiffener 2B . Thus, publication WO 95/31950 teaches away from the use of rigid carbon fibre reinforced plastic resin for anterior longitudinal stiffener 2B and the use of one of glass fibre and aramid fibre reinforced resin for the strut 2A.

Art Unit: 3764

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huong Q. Pham whose telephone number is (703) 305-5129. The examiner can normally be reached on 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 10, 2004




JUSTINE R. YU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700

11/14/04